



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

OCTOBER 20.

The President, SAMUEL G. DIXON, M.D., in the Chair.

Twenty-three persons present.

Inclusions in Quartz.—MR. HUGO BILGRAM remarked that on examining a section of the "Blue Quartz" of Bucks county, Pennsylvania, he had observed some very interesting inclusions. This quartz contains small crystals of a bluish tint, exceedingly small needle-shaped crystals, some apparently opaque, and larger and smaller amorphous black masses distributed in irregular groups, mostly in sheets throughout the rock, probably consisting of graphite. There are also numerous small cavities filled with liquid, probably water, containing small bubbles. A few of these latter cavities were found to contain small, loose particles which, in connection with the enclosed bubbles, exhibit the phenomenon known as the Brownian movements. Some are prismatic crystals or fragments, others opaque particles of irregular shape. These inclusions clearly demonstrate that the Brownian movements continue indefinitely, the gneiss beds from which the blue quartz originates belonging to the oldest geologic formations.

Some of the cavities contain a number of such crystals. Owing to the constant movement it was difficult to count them with certainty, but he had counted no less than five or six particles in several cavities.

These inclusions of suspended particles seem to be very rare, as he had examined hundreds of splinters and had succeeded in finding only a few exhibiting these phenomena. They seemed to be grouped. If one cavity containing a loose crystal is found in a section, it is likely that more can be discovered by a close examination. The first section in which he discovered them contains at least twenty such cavities. The dimensions of the particles are exceedingly small. One of the largest prismatic crystals found is about 6 micro-millimeters long and about $\frac{1}{3}$ micro-millimeter thick. Others are too small for even approximate measurement.

MR. FRANK J. KEELEY stated that he had succeeded in showing that these crystals have double-refractive qualities. By placing the section between two Nichol's prisms, so as to obtain a dark field, a careful observation will reveal that these crystals occasionally light up as their optic axis happens to become practically paralleled with the line of sight. They look very much like fireflies.

Messrs. Theodore Brooks, Allen J. Smith, Frederick L. Lewton, Thomas Barbour and Edward G. Vanatta were elected members.

The following were accepted for publication: